BOARD OF PUBLIC WORKS AND SAFETY Agenda Request Form

(Form B-01-2012)

Organizations and individuals are asked to submit a request form and supporting documents to be placed on the agenda. You will be contacted by the City confirming the date of the meeting in which your request will be heard. Please make sure that your contact information is accurate in case we need to get in touch with you. The Board of Works meets on the 1st and 3rd Monday of each month at 5:00 p.m. in City Hall located at 70 E. Monroe Street.

Date Submitted	: 2/26/2025	Meeting	Date:	3/3/2025		
Contact Informa	ation:					
Requested by:	Requested by: Brett Jones, Street Commissioner/Fleet Manager					
On Behalf of Or	rganization or Individua	al				
Telephone:	Telephone: 317-736-3660					
Email address:	bjones@franklin.in.	bjones@franklin.in.gov				
Mailing Addres	s: 2871 N. Morton Str	2871 N. Morton Street, Franklin, IN 46131				
Describe Reque	est					
Request permiss	ion to purchase Elgin Reg Machine to be paid for fro	genX Street Swee	per via S er fund.	Sourcewell contract		
#000021 EEG	indomino to bo para 151 me					
List Supporting	Documentation Provid	ded:		WE ST		
Elgin Sourcewel	I quote					
Brochure						
Who will present the request?						
Name: Brett J	ones	Telephone:	317-73	6-3660		

In order for an individual and/or agency to be considered for new business on the Board of Works agenda, this reservation form and supporting documents must be received in the Mayor's office no later than 4:00 p.m. on the Wednesday before the meeting.

	REGENX- RM-26K	DECENY DM-26K	\$_		5	
1_	1130001	RM-JD 74 HP T4F-M2	\$	154,030.00	\$	154,030.00
1	1070639	LED/STOP/TAIL/REAR TURN LIGHT	\$	810.00	\$	810.00
1	1081188	SPARE CHASSIS KEY	\$	60.00	\$	60.00
_	1120793	TURBO II PRECLEANER	\$	645.00	\$	645.00
1	1123271	BATTERY DISCONNECT - CHASSIS	\$	1,925.00	\$	1,925.00
1_		ALTS-FL M2 CHASSIS-26K RM	\$	3,585.00	\$	3,585.00
1_	1141252	25' WATER FILL HOSE (ILO 16' 8")	\$	270.00	\$	270.00
1_	1032484	OUICK DISCONNECT WATER FILL	\$	670.00	\$	670.00
1	1040094	HYDRAULIC OIL LEVEL GAUGE W/	\$	235,00	\$	235.00
1	1061886	TOOL BOX LEFT HAND	\$	1.035.00	\$	1,035.00
1	1130043	TOOL BOX DECLE HAND	\$	885.00	\$	885.00
1	1130044	TOOL BOX RIGHT HAND	\$	1.515.00	\$	1,515.00
1_	1130055	IN CAB HOPPER DUMP	\$	10,135.00	\$	10,135.00
1	1130056	LIFELINER HOPPER	\$	600.00	\$	600.00
1	1130061	STAINLESS STEEL INSPECTION DOOR	\$	5,510.00	\$	5,510.00
1	1130065	304 STAINLESS STEEL HOPPER SCREENS	_	750.00	_	750.00
1	1130774	LED ARROWSTICK	\$	875.00	\$	025.00
1	1131222	LEFT HAND SIDEBROOM TILT 12 DEGREE	\$		-	875.00
1	1131223	RIGHTHAND SIDEBROOM TILT 12 DEGREE	\$	875.00	\$	873.00
1	1132629	RED LOGO PACKAGE	\$	1 465 00	\$	1 465 00
1	1132709	PNEUMATIC WITH SCRUB SIDEBROOM	\$	1,465.00	\$	1,465.00
1	1132957	VARIABLE SPEED DUAL SIDEBROOM-RM	5	1,090.00	\$	1,090.00
1	1133498	HYDRAULIC TEMPERATURE SHUTDOWN	\$	210.00	\$	210.00
1	1135467	EXTRA 100 GALLON WATER TANK	\$	2,565.00	\$	2,565.00
1	1136526	(2) ALTERNATING REAR LED LIGHTS THAT	\$	2,000.00	\$	2,000.00
1	4810001	SWEEPER PAINTED STANDARD WHITE	\$		\$	
1	4820001	CAB STANDARD WHITE	\$	-	\$	
1	0701678	REGEN-X OPERATORS MANUAL	\$		\$	
1	0701705	AIR PRODUCTS MACHINE DELIVERY PACKET	\$	_	\$	
1	0702020	ELGIN SAFETY MANUAL	\$	-	\$	40
_	0702256	REGEN-X PARTS BOOK	\$	-	\$	
1		REGEN-X SERVICE MANUAL	\$	115.00	\$	115.00
1	0702472	M2 PARTS BOOK	\$	460.00	\$	460.00
1	0704005	M2 SERVICE MANUAL	5	375.00	\$	375.00
1	0704007	JOHN DEERE OPERATORS MANUAL	\$		5	-
1	0704046	JOHN DEERE PARTS BOOK	\$	-	\$	-
1	0704047	JUMN DEEKE PAKTS BOOK	\$	_	5	-
1	0730166	BROOM MEASUREMENT RULER	5	55.00	5	55.00
1	6063004	Extra Auxillary Engine Key	+	35.00	1	

Changles					
Chassis:		1 4 44	2,140.00	4171/	10.00
1 1141250	Freightliner M2 WB176 26K, EPA24	1.5 11	12,140.00	5 112,14	10.00
1 1141200	Freigntime 142 WD270 2017 21715			_	

Paint:

Module Paint Match Cab - Yes Module Paint Color - White Cab Paint Color - White

Sourcewell Build-Proposal Summary

Sourcewell Build-Proposal Summer y	\$ 192,745.00
Module/Options Total:	
Options Sourcewell Discount 3%:	\$ 5,782.35
Module/Options Total per Sourcewell Price Schedule:	\$186,962.65
Non Sourcewell Options Total:	\$ -
Total with Module and All Options:	\$186,962.65
Elgin Material Surcharge:	\$
Total with Module, Options, Chassis and Surchrge:	\$299,102.65
Freight & PDI:	\$ 3,500.00
Field Training:	\$ 2,000.00
Total:	\$304,602.65

Customer Initials: ____

RegenX







EASY TO USE, EASY TO MAINTAIN, THE EASY CHOICE FOR YOUR OPERATION

Rugged construction for years of dependable service. Innovative features to simplify operation and maintenance. Superior performance to get the job done right—the first time, with less effort and expense. These are the qualities Elgin has been building in its equipment since it introduced the world's first self-propelled, motorized street sweeper in 1914.

Today, you will find all of these advantages in the Elgin RegenX regenerative air street sweeper. The product of years of development with input from municipal and contract customers, sweeper operators, service technicians and project supervisors, the RegenX delivers superior performance day in and day out.

As you explore its features, you will understand why we offer the RegenX with an industry leading one-year, unlimited hours warranty.





A SMARTER DESIGN TAKES PRODUCTIVITY TO NEW HEIGHTS

The RegenX features a roll-off dump height of 56 in (142.24 cm) with a 50° dump angle and 7.3 cu yd (6.11 m³) hopper. This level of performance can help you avoid double-handling and driving back to a facility to dump. You can increase efficiency even more by placing roll-off containers along your route. All of this saves you time, effort, expense, and fuel costs.

EASY-TO-CLEAN HOPPER

To make cleaning faster and easier the RegenX hopper features:

- Rounded corners for easy cleaning and better load evacuation
- Self-deploying dust separator evacuates dust when hopper is dumped
- · Easy access dust separator washout doors
- Simple inlet design with deflector loads debris evenly simplifying washout





Throughout the design of the RegenX you will find performance advantages that improve productivity, reduce downtime, simplify maintenance, and enhance operator performance—all to help you create a cleaner environment for your community. RegenX performance advantages include:

- Overall simpler design with fewer moving parts
- Bolt-on parts in key areas (like the dust separator and hopper inlet) for easier servicing
- · Easy access to all service and maintenance components
- · Convenient switches for faster operation
- Water level indicator visible from side mirror while operating
- Dual quick disconnect on suction tube for easy maintenance and access to obstructions
- · Extended steel suction tube for improved material flow
- · Adjustable rear bumper for efficient offloading into containers
- · Adjustable hopper door locks for proper seal



SUPERIOR SIDE BROOM FOR ENHANCED CLEANING

To provide superior cleaning action, the RegenX broom features:

- Innovative in-cab pneumatic float for adjustable side broom pressure
- Elgin's unique trailing arm design provides inward motion to avoid obstacles
- Standard parallelogram linkage allows side brooms to closely follow road contours and maintain a consistent broom tilt angle with the road surface



DESIGNED TO HELP OPERATORS DO MORE WITH LESS EFFORT

The best technology makes our lives and our work easier. That is why the RegenX has been designed for operators of all levels.

It has easy-to-master controls with no control modules, simple operation, and simplified maintenance. The result is higher productivity with less downtime, and a short learning curve for operators. With the RegenX, operators can focus on their work, not the controls, bringing added safety to every job. Advantages include:

- Simplified controls with preset throttle adjustments that can be made on the fly
- The ability to change from sweep to transport mode with the flip of a switch
- · Simple dump controls
- · Expedited, easier washout and cleanup
- · Fast, easy access to maintenance and service points





A closer look at the Elgin RegenX reveals innovative design features, systems, and components that not only simplify operation and improve performance but also make maintenance and servicing faster and easier. The result is the optimal efficiency of your operations, as you reduce maintenance requirements and downtime. The RegenX brings you an array of innovative systems including:



Pickup Head

Our exclusive pickup head features a convenient port that allows you to totally clean out the head while the unit stays clean and dry.



Dust Separator

The high-efficiency dust separator features a centrifugal design that spins air at a high speed, isolating dust into a self-emptying collection chamber that evacuates as the hopper is dumped.



Fan Drive

Our high-performance, low-maintenance fan drive system allows for belt changes in less than five minutes.







OUR COMMITMENT TO QUALITY ONLY BEGINS WITH OUR EQUIPMENT

The Elgin RegenX is manufactured in an ISO 9001 certified, advanced industrial plant with over 208,000 sq. ft. (19,350 sq. m.) of space. We employ the latest technology to build the most reliable equipment, including high-precision laser cutters, efficient, accurate computer numerical controls, and a sophisticated powder coating system.

When you build a quality product you can back it up with a full one-year, unlimited hours warranty. Elgin also backs up your investment with superior local service and support. Our goal is to keep your machine—and your entire operation—up and running.

The RegenX can be customized to your unique requirements to meet local standards and regulations by means of a broad selection of configurations, options and accessories.

Through our international dealer network, we maintain a vast inventory of spare parts and offer fast shipment to any region of the world.

Altogether, the rugged, reliable Elgin RegenX is easy to operate, easy to maintain, and an easy choice when you are looking for quality equipment that is built to last.



RegenX Truck Mounted Regenerative Air Sweeper Specifications

Auxiliary Engine	Fan Drive System	Electrical System	Dust Control System	Sweep System	Pick-up Head
John Deere 4045T Tier 4 Horsepower: 74 hp (55 kw) @ 2400 RPM Torque: 224 ftlb. (304 Nm) @ 1600 RPM 4-cylinder, turbocharged diesel High temperature and oil pressure automatic shutdown	Hardox Steel Fan Sealed-for-life bearings Fluid coupler Spring-loaded belt tensioner Keyed and tapered fan shaft	Heavy-duty, waterproof electrical connectors and color-coded wires with functional identification Wire harnesses include protective braiding	250 gal (946 L) polyethylene water tank Heavy duty nozzles 1 water pump with run dry capability High and low select- able pump speed In-cab low water visual and audible alarm	High performance regenerative air Sweeping path: 12 ft. (365.8 cm) Side brooms diameter: 42 in. (106.7 cm)	Length: 90 in. (2,286 mm) Area: Approx. 2,700 in.² (17,420 cm²) Hose Pressure: 14 in. (355 mm) Hose Suction: 13 in. (330 mm)



POWERFUL VERSATILE

SIMPLY BETTER

The RegenX regenerative air street sweeper is brought to you by Elgin, the company that introduced the first motorized street sweeper more than a century ago. Today, Elgin is part of Federal Signal, an international company with fifteen manufacturing facilities. Its broad range of quality equipment is sold all around the world.

The RegenX is a product of the vast resources of Elgin and Federal Signal. Innovative in design, rugged in construction, RegenX offers you advanced technology that delivers:

- Easy controls for operators at all levels
- Simplified maintenance to maximize uptime
- Greater efficiency in even the most demanding applications
- · An industry leading warranty
- · Strong, local service and support





Elginsweeper.com

Elgin Sweeper • 1300 W. Bartlett Road • Elgin, IL 60120 USA Phone 847-741-5370